2007/6/10: 2006/5/11:

The Extent of the use of Information Technology in the process of auditing (E-Auditing)in Palestine, and its effect on the quality of the evedance to support the audit opinion of the neutral prepared on the financial statement

**Abstract:** The study aimed at investigating to what extent do auditors in Palestine use information technology in planning, controlling and documenting the audit processes. It mainly aimed at studying the effect of e-auditing on persuasiveness of evidence.

The Findings of the study showed that auditors in Palestine use IT in planning, controlling & documenting the audit processes to some extent. It also showed that e-auditing helps in improving persuasiveness of evidence.

The study is concluded by recommendations. The most important one was that regulators of the profession in Palestine should encourage the use of e-audit in the audit processes by introducing new regulations and developing the quality control standards.

Research Problem

. (Arens , 2006)

| ( )                   |    |
|-----------------------|----|
|                       |    |
|                       |    |
| ·<br>:                | -  |
|                       |    |
| :                     | -  |
| Research Importance : |    |
| Research Importance   | ,  |
|                       |    |
|                       |    |
|                       |    |
| •                     |    |
| •                     |    |
|                       |    |
| Research Objective    | :  |
|                       | .1 |
| •                     | .2 |
|                       | .3 |

**Research Society and Sample** 

**Previous Studies** 

(Duncombe & Heeks, 1999)

(2003 )

(2003)

.

Tiittanen . :

.

.

. : (2003 )

;

•

.

(Manson et al.., 1997)

(Fischer, 1996)

**Research Model** 

( )

```
(
                                                        (1):
                                                        Relevance
الملائمة
                                                       Competence الأهلية
                                                       Sufficiency
الكفاية
                                                        Timeliness
التوقيت الجيد
Research Assumptions
                                                                                                       :H_{01}
                                                                                                       :H_{02}
                                                                                                       : H_{03}
                                                                                                       :H_{04}
     Research Tool
```

Likert Scale

:

The Validity and Reliability

Reliability Validity

.1

.2

Person

(1)

|             |       |    |             | 1     |    |
|-------------|-------|----|-------------|-------|----|
|             | Γ     | 1  | -1          | :     | 1  |
| Sig.        | r     |    | Sig.        | r     |    |
| $0.000^{a}$ | 0.872 | 17 | $0.000^{a}$ | 0.848 | 7  |
| $0.000^{a}$ | 0.866 | 18 | $0.000^{a}$ | 0.802 | 8  |
| $0.000^{a}$ | 0.836 | 19 | $0.000^{a}$ | 0.844 | 9  |
| $0.000^{a}$ | 0.652 | 20 | $0.000^{a}$ | 0.719 | 10 |
| $0.000^{a}$ | 0.622 | 21 | $0.000^{a}$ | 0.694 | 11 |
| $0.000^{a}$ | 0.603 | 22 | $0.000^{a}$ | 0.841 | 12 |
| $0.000^{a}$ | 0.517 | 23 | $0.000^{a}$ | 0.739 | 13 |
| $0.000^{a}$ | 0.744 | 24 | $0.000^{a}$ | 0.696 | 14 |
| $0.000^{a}$ | 0.617 | 25 | $0.000^{a}$ | 0.867 | 15 |
|             |       |    | $0.000^{a}$ | 0.785 | 16 |
|             |       |    |             | /     |    |
| Sig.        | r     |    | Sig.        | r     |    |
| $0.000^{a}$ | 0.863 | 30 | $0.000^{a}$ | 0.667 | 26 |
| $0.000^{a}$ | 0.794 | 31 | $0.000^{a}$ | 0.786 | 27 |
| $0.000^{a}$ | 0.747 | 32 | $0.000^{a}$ | 0.721 | 28 |
|             |       |    | $0.000^{a}$ | 0.59  | 29 |
|             |       |    |             | 1     |    |
| Sig.        | r     |    | Sig.        | r     |    |
| $0.000^{a}$ | 0.525 | 36 | $0.000^{a}$ | 0.634 | 33 |
| $0.000^{a}$ | 0.659 | 37 | $0.000^{a}$ | 0.672 | 34 |
|             |       |    | $0.000^{a}$ | 0.661 | 35 |

.

 $\alpha$ 0.01

: :

:(Cronbachs Alpha)

% 94.44

## **Statistical Methods**

SPSS

Person . 1 Cronbachs Alpha .2 .3 One Sample T-Test .4 VIF Tolerance .5 Multicollinearity Durbin Watson .6 .Autocorrelation Multiple Regression .7 Simple Regression .8 Stepwise Regression .9 (2001 )

922

(Boynton et al.., 2006)

( ) (Statement on Auditing Standard) SAS31 : .1 .2 .3 .4 .5 (Arens,2006) :Establishal Criteria .1 :Accumulating & Evaluating Evidence .2

923

:Reporting .3

:Relevance :Competence

:Sufficiency

: Sufficiency

. .2

•

:Timeliness

•

: Physical Examination .1
.Confirmation .2
. Documentation .3

. Observation .4
. Inquiries of the client .5

. Reperformance .6

.(Arens, 2006) Analytical Procedures .7

.(2006 (Alter, 1999) (Ashton & .(Computer Auditing) Willingham, 1998) (Williamson, 1994) "

(2003

( ) (Romney & Steinbart, 2006) (Arens, 2006) (2006 ): **Auditing Around the Computer** . 1 **Auditing Through the Computer** .2 **Auditing With the Computer** .3

**Parallel Simulation** 

.

**Test Data** 

Audit Software .

:

:Custom-Designed Program

Generalized .

:Audit Software

: (2)

|        |        | · (-/ |
|--------|--------|-------|
|        |        |       |
| 55.79% | 2.7895 |       |
| 62.63% | 3.1316 |       |
| 60.53% | 3.0263 |       |
| 77.89% | 3.8947 |       |
| 47.89% | 2.3947 |       |
| 55.79% | 2.7895 |       |

%78 3.9

%63 3.1

.%56 2.790

.%48 2.4

( ) **Data Analyze & Testing of Hypotheses** 40 38 %95 86.8%(2) 35 %78.9 %74.4 ) %21.1 %97.4 10 12 15 %53 35

35

. .

: (3)

|       |    | . (6) |  |
|-------|----|-------|--|
|       | %  |       |  |
| 86.8  | 33 |       |  |
| 13.2  | 5  |       |  |
| 100   | 38 |       |  |
| 47.40 | 18 | 35    |  |
| 39.5  | 15 | 35 24 |  |
| 13.2  | 5  | 24    |  |
| 100   | 38 |       |  |
| 78.9  | 30 |       |  |
| 21.1  | 8  |       |  |
| 100   | 38 |       |  |
| 97.4  | 37 |       |  |
| 2.6   | 1  |       |  |
| 100   | 38 |       |  |
| 31.6  | 12 |       |  |
| 39.5  | 15 |       |  |
| 26.3  | 10 |       |  |
| 2.6   | 1  |       |  |
| 100   | 38 |       |  |
| 52.6  | 20 | 8     |  |
| 28.9  | 11 | 8 3   |  |
| 18.4  | 7  | 3     |  |
| 100   | 38 |       |  |

:

:

.1

(4)

|        |                  |      |      |      |      |      | #  |
|--------|------------------|------|------|------|------|------|----|
| 52.20% | 2.61             | 10.5 | 44.7 | 26.3 | 10.5 | 7.9  | 7  |
| 60.00% | 3.00             | 13.2 | 23.7 | 28.9 | 18.4 | 15.8 | 8  |
| 57.90% | 2.90             | 13.2 | 21.1 | 39.5 | 15.8 | 10.5 | 9  |
| 54.74% | 2.74             | 15.8 | 21.1 | 42.0 | 15.8 | 5.3  | 10 |
| 53.16% | 2.66             | 18.4 | 28.9 | 28.9 | 15.8 | 7.9  | 11 |
| 51.06% | 2.55             | 26.3 | 26.3 | 23.7 | 13.2 | 10.5 | 12 |
| 48.42% | 2.42             | 15.8 | 52.6 | 13.2 | 10.5 | 7.9  | 13 |
| 50.00% | 2.50             | 18.4 | 39.5 | 23.7 | 10.5 | 7.9  | 14 |
| 2.671  | $\frac{-}{\chi}$ |      |      |      |      |      |    |
| 0.963  | S                |      |      |      |      |      |    |
| 53.42% | ratio            |      |      |      |      |      |    |

.%53.4

. %60 %48.42

%50

 $H_1: \mu \prec 3$   $H_0: \mu = 0$ : (T- T

.distribution)

 $|T| = \frac{\overline{\chi} - \mu}{S / \sqrt{n}}$   $|T| = \frac{2.671 - 3}{0.963 / \sqrt{38}} = -2.106$ 

 $T_{0.95,37} = -1.684 : \alpha 0.05$ (n-1)=37T

|T|

Sig.  $\alpha$ 

T  $P-Value = Pr.(t \le -2.106) = 0.042^a$  $\alpha$ 0.05

.2

(5)

|        |                   |      |      |      |      |      |     | #  |
|--------|-------------------|------|------|------|------|------|-----|----|
| 48.40% | 2.42              | 23.7 | 36.8 | 21.1 | 10.5 | 7.9  | :   | 15 |
| 61.00% | 3.05              | 13.2 | 26.3 | 15.8 | 34.2 | 10.5 | )   | 16 |
| 53.20% | 2.66              | 23.7 | 31.6 | 13.2 | 18.4 | 13.2 |     | 17 |
| 53.20% | 2.66              | 15.8 | 26.8 | 23.7 | 13.2 | 10.5 | ) ( | 18 |
| 52.60% | 2.63              | 15.8 | 36.8 | 23.7 | 15.8 | 7.9  |     | 19 |
| 2.680  | $\overline{\chi}$ |      |      |      |      |      | ı   | ı  |
| 1.130  | S                 |      |      |      |      |      |     |    |
| 53.60% | ratio             |      |      |      |      |      |     |    |

.

.

.%53.6

.%61

 $H_1: \mu \prec 3$   $H_0: \mu = 0:$  -1.751 = T

Sig.0.044

.  $\alpha 0.05$ 

( ) : .3

(6)

|        |                   |      |      |      |      |      |   | #  |
|--------|-------------------|------|------|------|------|------|---|----|
| 32.20% | 1.61              | 57.9 | 28.9 | 10.5 |      | 2.6  | : | 20 |
| 38.40% | 1.92              | 2.6  | 2.6  | 15.8 | 42.1 | 36.8 |   | 21 |
| 34.20% | 1.71              | 2.6  |      | 7.9  | 44.7 | 44.7 |   | 22 |
| 53.60% | 2.68              | 2.6  | 21.1 | 28.9 | 36.8 | 10.5 |   | 23 |
| 42.60% | 2.13              | 2.6  | 7.9  | 21.1 | 36.8 | 31.6 |   | 24 |
| 45.20% | 2.26              | 5.3  | 2.6  | 28.9 | 39.5 | 39.5 |   | 25 |
| 2.053  | $\overline{\chi}$ |      |      |      |      |      |   |    |
| 0.731  | S                 |      |      |      |      |      |   |    |
| %41    | ratio             |      |      |      |      |      |   |    |

.

%41

.%53.6

 $|H_1: \mu \prec 3|$   $|H_0: \mu = 0|$ :
-1.684 -7.99 = T

 $Sig. = 0.000^{a} \qquad .$   $\alpha 0.05$ 

:

(7)

:(7)

|        |                  | •(1) |    |
|--------|------------------|------|----|
|        |                  |      | #  |
| 91.58% | 4.579            |      | 26 |
| 87.36% | 4.368            |      | 27 |
| 86.84% | 4.342            |      | 28 |
| 80.52% | 4.026            |      | 29 |
| 80.00% | 4                |      | 30 |
| 72.64% | 3.632            |      | 31 |
| 60.52% | 3.026            |      | 32 |
| 3.996  | $\frac{-}{\chi}$ |      |    |
| 0.528  | S                |      |    |
| %79.92 | ratio            |      |    |

%91.6 4.579

.

%87.4 4.368

.

%80.5 4.026 .%80 4.000

3.632 .%72.6

.7072.0

.%60.5 3.026

.

T 
$$|H_1: \mu \succ 3| \qquad |H_0: \mu = 0| :$$
 
$$T \qquad 4.992 \qquad |T|$$
 
$$T_{\text{\tiny 0.95,6}} = 1.94 \quad \alpha 0.05 \qquad \text{(n-1)=6}$$
 
$$Sig. = 0.001^a$$

(8)

:(8)

|        |        | 1(0) |
|--------|--------|------|
|        |        |      |
| 67.37% | 3.3684 |      |
| 45.79% | 2.2895 |      |
| 56.32% | 2.8158 |      |

%67.4 3.368

%58 2.290

.%56.3 2.816

```
(
                                                             .(
                                       |Y = \alpha + \beta_1 \chi_1 + \beta_2 \chi_2 + \beta_3 \chi_3 + \ell|
                                                 ( ...
                                                                                                                     )
                                                                                                                                              : Y
                                                                                                                                              :α
                                                                                                                                :\beta_{1},\beta_{2},\beta_{3}
                          Partial Regression Coefficients
                                                                                                                                :\chi_{\scriptscriptstyle 1},\chi_{\scriptscriptstyle 2},\chi_{\scriptscriptstyle 3}
                                                                                                                                                :\!\ell
                                                                                                                                        )
                                                                                                     .(
                                                             : Multicollinearity
                                                                                                                                                 .1
```

939

Multicollinearity

.

SPSS Collinearity diagnostics

(VIF) Tolerance

: (Variance Inflation Factor)

$$VIF = \frac{1}{Tolerance}$$

. 5 VIF

:

(9)

 Collinearity Statistics

 VIF
 Tolerance

 3.279
 0.305

 3.636
 0.275

 1.976
 0.506

5 VIF

.

Autocorrelation

.2

Durbin Watson .

(4)

4

2.5 1.5

:

(10)

| D-W   |  |
|-------|--|
| 1.438 |  |
| 1.966 |  |
| 1.564 |  |
| 1.71  |  |

: IT :

.

2.5 1.5 D-W

1.5

•

:

(11)

:

 $:H_{01}$ 

|                    | β     | T      | Sig.               |
|--------------------|-------|--------|--------------------|
| CONSTANT           | 0.092 | 0.345  | 0.732 <sup>a</sup> |
|                    | 0.026 | 0.170  | $0.866^{a}$        |
|                    | 0.149 | 1.081  | 0.287 <sup>a</sup> |
|                    | 0.522 | 3.325  | 0.002 <sup>a</sup> |
|                    |       |        |                    |
| R                  | $R^2$ | F      | Sig.               |
| 0.745 <sup>a</sup> | 0.555 | 14.125 | $0.000^{a}$        |

,

|                     |                                |        |                         | •           | •                      |
|---------------------|--------------------------------|--------|-------------------------|-------------|------------------------|
|                     | Stepw                          | vise   |                         |             |                        |
|                     |                                |        |                         |             |                        |
|                     | R                              | $R^2$  | F                       | Sig.        |                        |
|                     | $0.720^{a}$                    | 0.519  | 38.778                  | $0.000^{a}$ |                        |
|                     | $F_{_{d.f37,\alpha0.025}} =$   | 1.94   | $T_{_{d.f37,lpha0.02}}$ | 5 = 2.02    |                        |
| $R^2$               | =55.5%                         |        |                         |             |                        |
| %55.5               | (                              |        | )                       |             |                        |
|                     |                                | .(     |                         | )           |                        |
| F = 14.1            | 125                            |        |                         |             |                        |
|                     |                                | 1.94   |                         |             |                        |
|                     |                                |        |                         |             |                        |
| $(Sig  0.000 \prec$ | $\alpha_{20.025} \alpha_{2} =$ | =0.025 |                         |             | $Sig. = 0.000^{\circ}$ |
|                     | , = , , , ,                    |        |                         |             |                        |
| ·                   |                                |        |                         |             |                        |
|                     |                                |        |                         |             |                        |
|                     |                                |        |                         | ·           |                        |
| T=1.08,             | T                              |        |                         |             |                        |
| 1 1.00,             | T                              |        | F                       | :           | ) T=0.170              |
|                     | •                              |        | Т                       | ·           | (                      |
|                     |                                | Si     | g.                      | (           | )                      |
|                     |                                | Ŋ.     | · D·                    | (           | ,                      |
|                     |                                |        |                         | •           |                        |

Stepwise

51.9%  $R^2$  :

3.6% = (51.9% - 55.5%)

38.778 F

 $Sig. = 0.000^{a}$ 

.

:

. :  $\boldsymbol{H}_{02}$ 

:

(12)

|                    | β     | T      | Sig.               |
|--------------------|-------|--------|--------------------|
| CONSTANT           | 0.337 | 1.234  | 0.226 <sup>a</sup> |
|                    | 0.032 | 0.200  | $0.842^{a}$        |
|                    | 0.055 | 0.387  | 0.701 <sup>a</sup> |
|                    | 0.530 | 3.281  | 0.002 <sup>a</sup> |
|                    |       |        |                    |
| R                  | $R^2$ | F      | Sig.               |
| $0.680^{a}$        | 0.462 | 9.743  | $0.000^{a}$        |
| Stepwise           |       |        |                    |
| R                  | $R^2$ | F      | Sig.               |
| 0.673 <sup>a</sup> | 0.453 | 29.854 | $0.000^{a}$        |

$$R^2 = 46.2\%$$
 %46.2 ( ) ( ) ( )  $F = 9.743$ 

.

 $Sig. = 0.000^{\circ}$ 

•

:

T=0.387, T=0.200 T

T Sig. ( )

Stepwise

45.3% R<sup>2</sup> :

- 46.2%)

0.9% = (45.3%)

29.854 F
Sig. =  $0.000^{a}$ 

: :

 $:H_{03}$ 

(13)

|          | β      | T      | Sig.               |
|----------|--------|--------|--------------------|
| CONSTANT | 1.197  | 3.920  | $0.000^{a}$        |
|          | 0.059  | 0.334  | $0.740^{a}$        |
|          | 0.243  | 1.532  | 0.135 <sup>a</sup> |
|          | -0.270 | -1.149 | 0.259 <sup>a</sup> |

| R                  | $R^2$ | F    | Sig.               |
|--------------------|-------|------|--------------------|
| 0.405 <sup>a</sup> | 0.164 | 0.97 | 0.103 <sup>a</sup> |

$$R^{2} = 16.4\%$$
%16.4 ( )
 $83.6\%$  .( )

F = 0.970 1.94

 $Sig. = 0.103^a$ 

.

: :

 $:H_{04}$ 

:

(13)

|                    | β     | T     | Sig.               |
|--------------------|-------|-------|--------------------|
| CONSTANT           | 0.864 | 2.985 | $0.005^{a}$        |
|                    | 0.216 | 1.289 | $0.206^{a}$        |
|                    | 0.126 | 0.836 | 0.409 <sup>a</sup> |
|                    | 0.099 | 0.581 | 0.565 <sup>a</sup> |
|                    |       |       |                    |
| R                  | $R^2$ | F     | Sig.               |
| 0.600 <sup>a</sup> | 0.359 | 6.361 | 0.002 <sup>a</sup> |

. .

| Stepwise           |       |        |             |
|--------------------|-------|--------|-------------|
| R                  | $R^2$ | F      | Sig.        |
| 0.574 <sup>a</sup> | 0.329 | 17.685 | $0.000^{a}$ |

$$R^2 = 35.9\%$$
 %35.9 ( ) ( ) ( )  $F = 6.361$  1.94

 $Sig. = 0.002^a$ 

•

.

Stepwise

%32.9 R<sup>2</sup>

= (%32.9 - %35.9) %3

17.685 F Sig. =  $0.000^{a}$ 

:

 $:H_{_{0}}$ 

.


:

:

Sig.

. 51.6%

(2)



.

.

, ( . :

: .1

.2 %45.3

.3

. %41

.5

.6

.

(2003)-1 30 .289-279 .2 (2001)-2 -3 (2003)2 30 .268-253 (2006)-4 (2003)-5

- 1. Arens & Randal J. Elder & Mark S. Beasley. 2006. Auditing and Assurance Services An Integrated approach, Prentice Hall, USA.
- 2. Boynton, W. C., Johnson, R. N. & Kell, W. G. (2006), "Modern Auditing", John & Sons Inc., USA.
- 3. Manson, S., S. Mccartney, M. Sherer, (1997), "Audit Automation in the UK and the USA: A Comparative Study", Working Paper Series, Department of Accounting and Financial Management, University of Essex, UK.
- 4. Fischer, M.J., (1996), "Real-izing" The Benefits of New Technologies As A Source of Audit Evidence: An Interpretive Field Study", Accounting Organizations and Society, 21 (2/3): pp. 219-242.
- 5. Duncombe. & Heeks. 1999. Information, ICTS and Small Enterprise: Findings from Botswana.(Online), Available: http://idpm.man.ac.uk/idpm/diwpf7.htm.
- 6. Gupta, U. 2000. Information Systems, Prentice Hall.
- 7. Romney & Steinbart. 2006. Accounting Information Systems, Prentice Hall.
- 8. Alrer, p. (1999), Information Systems: A Management Perspective, Addison-Wesley Educational Publishers Inc, USA.

- 9. Tiittanen, A. 2001. The Role of User Support Services in Modern Auditing.(Online), Available: <a href="http://hsb.baylor.edu/ramsower/ais.ac.97/papers/tiittan.htm">http://hsb.baylor.edu/ramsower/ais.ac.97/papers/tiittan.htm</a>.
- 10. Ashton, R. H. & Willingham, J. J. (1998), "Using and Evaluating Audit Decision Aids", in Srivastava, R. J. & Rebele, J. (Eds), Auditing Symposium IX: Proceedings of the 1988 Touche Ross/ University of Kansas Symposium on Auditing Problems, pp. 1-31.
- 11. Williamson, A. L. (1994), "Audit Automation", Accountant Digest, No. 318, ICAEW, London.

.

-. . . -

: .

: : .1

35 □ 35 24 □ : .2 35 □ : .3

: .4

: .6

8 🗆 8 3 🗆 3 🗆

| )<br><u>:</u> |   | :   |
|---------------|---|-----|
| <u></u>       |   | :   |
| :             |   | .7  |
| :             |   | (   |
|               |   | .8. |
| :             |   | .9  |
| :             |   | .10 |
|               | : | .11 |
|               |   | .12 |
| :             |   | .13 |

.14 : ) .15 ( .16 .17 ) ( .18 ) .19 : (Word .20

| ( | )    |          |     |
|---|------|----------|-----|
|   |      |          | .21 |
|   |      |          | .22 |
|   | :    |          | .23 |
|   |      |          | .24 |
|   |      |          | :   |
|   | : ). | ( )      | .25 |
|   |      | <b>(</b> |     |
|   | ,    | : )      | .26 |
|   |      |          |     |
|   |      |          |     |

.27 .28 : ) ( .29 .30 .( ) . .31 : ) (... .32 : 

| ( | ) |       |     |
|---|---|-------|-----|
|   | : |       | .33 |
|   |   |       | .34 |
|   | ! |       | .35 |
|   |   | !<br> | .36 |
|   | ) | (5 1  | .37 |
|   |   |       |     |
|   |   | ·     |     |
|   |   | •     |     |